

T200 METALLIC FLUE SYSTEMS

SINGLE WALL

174



prices.atimariani.it/ati



SINGLE WALL STAINLESS STEEL

174

Ø 60 - Ø 80 - Ø 100 - Ø 120 - Ø 130



SINGLE WALL WHITE ALUMINIUM

187

Ø 60 - Ø 80 - Ø 100 - Ø 130

CONCENTRIC

198



prices.atimariani.it/ati



ALUMINIUM/WHITE ALUMINIUM Ø 60/100

198

DOUBLE WALL

200



prices.atimariani.it/ati



ST. STEEL/BROWN ALUMINIUM Ø 80/100

200



ST. STEEL/COPPER Ø 80/100

203

ST. STEEL/COPPER Ø 100/130

206

SINGLE WALL S. STEEL AISI 316/L BA

Available diametres

Ø 60÷130

Documentation



DoP T200

get.atimariani.it/dop/DOP08.pdf



DoP T250

get.atimariani.it/dop/DOP09.pdf



Instruction manual

get.atimariani.it/man/MANUT-FUM-001.pdf



Catalogue section

get.atimariani.it/engcat/INOX-SW.pdf



Silicone seal compliant to
UNI EN 14241-1

Applications



**Indoor
installation**



**Condensing
devices**



**Conventional
devices**



**Pellet burning
stoves**

**Product designation according to UNI EN 1856-1: 2009****Stainless steel single wall.**

Temperature	Pressure	Condensate	Corrosion	Flue liner material specification	Sootfire	Min. distance to combustible material
T200 max 200 °C	P1 200 Pa	W Wet utilization	V2 Corrosion class	L50050 Stainless steel 0.5 mm	O No resistance (with seal)	60 60 mm
T200 max 200 °C	P1 200 Pa	W Wet utilization	V2 Corrosion class	L50080 Stainless steel 0.8 mm	O No resistance (with seal)	60 60 mm

**Product designation according to UNI EN 1856-2: 2009****Stainless steel single wall.**

Temperature	Pressure	Condensate	Corrosion	Flue liner material specification	Sootfire	Min. distance to combustible material
T200 max 200 °C	P1 200 Pa	W Wet utilization	V2 Corrosion class	L50050 Stainless steel 0.5 mm	O No resistance (with seal)	40M 40 mm
T200 max 200 °C	P1 200 Pa	W Wet utilization	V2 Corrosion class	L50080 Stainless steel 0.8 mm	O No resistance (with seal)	40M 40 mm

**Product designation according to UNI EN 1856-2: 2009****Stainless steel single wall.**

Temperature	Pressure	Condensate	Corrosion	Flue liner material specification	Sootfire	Min. distance to combustible material
T250 max 250 °C	N1 40 Pa	D Dry utilization	V2 Corrosion class	L50050 Stainless steel 0.5 mm	G Resistant (without seal)	700M 700 mm
T250 max 250 °C	N1 40 Pa	D Dry utilization	V2 Corrosion class	L50080 Stainless steel 0.8 mm	G Resistant (without seal)	700M 700 mm



Pipe

Dim.	250 mm	500 mm	1000 mm	2000 mm	
Cod.	1-26X	1-56X	1-106X	1-206X	
Note	thk. 0,5 mm	thk. 0,5 mm	thk. 0,5 mm	thk. 0,5 mm	
Pcs.	9	9	9	6	
€/pcs.	€ 11,20	€ 14,60	€ 25,80	€ 46,00	



NEW



CLOSE OUT SALE

F/F sleeve

Dim.	200 mm
Cod.	1-146X
Note	thk. 0,5 mm
Pcs.	6
€/pcs.	€ 14,00

M/F bend

Dim.	45°
Cod.	2-46X
Note	segment bend - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 16,00

M/F bend

Dim.	45°
Cod.	2-46XP
Note	bended from pipe - thk. 0,8 mm
Pcs.	4
€/pcs.	€ 22,00

NEW



CLOSE OUT SALE



M/F bend

Dim.	90°
Cod.	2-96X
Note	segment bend - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 23,00

M/F bend

Dim.	90°
Cod.	2-96XP
Note	bended from pipe - thk. 0,8 mm
Pcs.	4
€/pcs.	€ 24,90

T element

Dim.	h 240 mm
Cod.	3-6TX
Note	thk. 0,5 mm
Pcs.	4
€/pcs.	€ 31,60



Condensation drain

Dim.	3/4"
Cod.	4-6SCX
Note	vertical - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 21,30



Reducing adapter

Dim.	Ø 60 F - Ø 80 M
Cod.	8-68XB
Note	thk. 0,5 mm
Pcs.	1
€/pcs.	€ 28,20



Silicone seal

Dim.	20-60
Cod.	
Note	
Pcs.	10
€/pcs.	€ 1,14



Fastening ring

Dim.	
Cod.	9-6FX
Note	inox
Pcs.	10
€/pcs.	€ 5,05



Wall bracket

Dim.	
Cod.	5-6X
Note	inox
Pcs.	10
€/pcs.	€ 6,70



Stainless steel grid

Dim.	
Cod.	11-6AX
Note	air inlet-female
Pcs.	10
€/pcs.	€ 5,46



Stainless steel grid with rain cover

Dim.	
Cod.	11-060AX
Note	air inlet-female
Pcs.	10
€/pcs.	€ 6,18



Horizontal flue terminal

Dim.	l 80 mm
Cod.	10-6SX
Note	female
Pcs.	10
€/pcs.	€ 6,18



Vertical flue terminal

Dim.	h 76 mm
Cod.	10-6VX
Note	female
Pcs.	10
€/pcs.	€ 21,70



Vertical flue terminal

Dim.	h 157 mm
Cod.	6-6CX
Note	male
Pcs.	5
€/pcs.	€ 24,90



Pipe

Dim.	250 mm	500 mm	1000 mm	2000 mm	
Cod.	1-28X	1-58X	1-108X	1-208X	
Note	thk. 0,5 mm	thk. 0,5 mm	thk. 0,5 mm	thk. 0,5 mm	
Pcs.	9	9	9	6	
€/pcs.	€ 13,50	€ 16,90	€ 26,20	€ 49,20	



F/F sleeve

Dim.	120 mm
Cod.	1-148X
Note	thk. 0,5 mm
Pcs.	6
€/pcs.	€ 17,50



M/F bend

Dim.	45°
Cod.	2-48X
Note	segment bend - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 19,80



M/F bend

Dim.	45°
Cod.	2-48XP
Note	bended from pipe - thk. 0,8 mm
Pcs.	4
€/pcs.	€ 24,70



M/F bend

Dim.	90°
Cod.	2-98X
Note	segment bend - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 24,40



M/F bend

Dim.	90°
Cod.	2-98XP
Note	bended from pipe - thk. 0,8 mm
Pcs.	4
€/pcs.	€ 28,00



M/F bend

Dim.	90°
Cod.	2-98XIS
Note	with inspection plug - sp.0,5 mm
Pcs.	1
€/pcs.	€ 56,70



T element

Dim.	h 194 mm
Cod.	3-8TX
Note	M/F - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 33,40



T element

Dim.	h 194 mm
Cod.	13-80XFF
Note	F/F - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 34,40



Element with inspection plug

Dim.	10-8X
Cod.	
Note	thk. 0,5 mm
Pcs.	1
€/pcs.	€ 51,10

CLOSE OUT SALE



Plug

Dim.	
Cod.	12-80X
Note	thk. 0,5 mm
Pcs.	4
€/pcs.	€ 14,40



Condensation drain

Dim.	3/4"
Cod.	4-8SX
Note	vertical - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 22,50



Increasing adapter

Dim.	Ø 80 F - Ø 60 M
Cod.	8-86XB
Note	thk. 0,5 mm
Pcs.	1
€/pcs.	€ 28,40



Silicone seal

Dim.	
Cod.	20-80
Note	
Pcs.	10
€/pcs.	€ 1,30



Fastening ring

Dim.	
Cod.	9-8FX
Note	inox
Pcs.	10
€/pcs.	€ 5,26



Wall bracket

Dim.	
Cod.	5-8X
Note	inox
Pcs.	10
€/pcs.	€ 7,32



Nylon grid

Dim.	
Cod.	10-8
Note	air inlet-female
Pcs.	10
€/pcs.	€ 3,71



Stainless steel grid

Dim.	
Cod.	11-8AX
Note	air inlet-female
Pcs.	10
€/pcs.	€ 5,77



Stainless steel grid with rain cover

Dim.	
Cod.	11-080AX
Note	air inlet-female
Pcs.	10
€/pcs.	€ 6,39



Nylon terminal

Dim.	
Cod.	10-8A
Note	air inlet
Pcs.	10
€/pcs.	€ 4,33



Stainless steel terminal

Dim.	
Cod.	10-8AX
Note	air inlet
Pcs.	10
€/pcs.	€ 7,52



Horizontal flue terminal

Dim.	
Cod.	10-8S
Note	nylon-female
Pcs.	10
€/pcs.	€ 4,12



Horizontal flue terminal

Dim.	l 80 mm
Cod.	10-8SX
Note	female
Pcs.	10
€/pcs.	€ 6,39



Horizontal flue terminal

Dim.	l 146 mm
Cod.	10-8SMX
Note	male
Pcs.	4
€/pcs.	€ 13,10



Vertical flue terminal

Dim.	h 89 mm
Cod.	10-8VX
Note	female
Pcs.	10
€/pcs.	€ 24,10



Vertical flue terminal

Dim.	h 152 mm
Cod.	6-8CX
Note	male
Pcs.	5
€/pcs.	€ 28,40



Pipe

Dim.	250 mm	500 mm	1000 mm	2000 mm	
Cod.	1-210X	1-510X	1-1010X	1-2010X	
Note	thk. 0,5 mm	thk. 0,5 mm	thk. 0,5 mm	thk. 0,5 mm	
Pcs.	6	9	9	4	
€/pcs.	€ 16,40	€ 20,10	€ 31,30	€ 58,00	



F/F sleeve

Dim.	200 mm
Cod.	1-1410X
Note	thk. 0,5 mm
Pcs.	4
€/pcs.	€ 21,10

NEW



M/F bend

Dim.	45°
Cod.	2-410X
Note	segment bend - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 21,00



CLOSE OUT SALE

M/F bend

Dim.	45°
Cod.	2-410XP
Note	bended from pipe - thk. 0,8 mm
Pcs.	4
€/pcs.	€ 26,00

NEW



M/F bend

Dim.	90°
Cod.	2-910X
Note	segment bend - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 27,00



CLOSE OUT SALE

M/F bend

Dim.	90°
Cod.	2-910XP
Note	bended from pipe - thk. 0,8 mm
Pcs.	4
€/pcs.	€ 31,50



T element

Dim.	h 322 mm
Cod.	3-1010TX
Note	thk. 0,5 mm
Pcs.	4
€/pcs.	€ 39,80



T element

Dim.	h 330 mm - reduced Ø 80
Cod.	3-10TX
Note	thk. 0,5 mm
Pcs.	4
€/pcs.	€ 39,80



Condensation drain

Dim.	3/4"
Cod.	4-10SX
Note	vertical - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 24,00



Increasing adapter

Dim.	Ø 100 F - Ø 80 M
Cod.	8-108XB
Note	thk. 0,5 mm
Pcs.	1
€/pcs.	€ 33,60



Silicone seal

Dim.	
Cod.	20-100
Note	
Pcs.	10
€/pcs.	€ 1,68



Fastening ring

Dim.	
Cod.	9-10FX
Note	inox
Pcs.	10
€/pcs.	€ 5,36



Wall bracket

Dim.	
Cod.	5-10X
Note	inox
Pcs.	10
€/pcs.	€ 9,77



Stainless steel grid

Dim.	
Cod.	11-10AX
Note	air inlet-female
Pcs.	10
€/pcs.	€ 7,46



Stainless steel grid with rain cover

Dim.	
Cod.	11-100AX
Note	air inlet-female
Pcs.	10
€/pcs.	€ 7,88



Horizontal flue terminal

Dim.	l 133 mm
Cod.	10-106
Note	nylon - male
Pcs.	10
€/pcs.	€ 7,98



Horizontal flue terminal

Dim.	l 80 mm
Cod.	10-10SX
Note	female
Pcs.	10
€/pcs.	€ 7,98



Vertical flue terminal

Dim.	h 76 mm
Cod.	10-10VX
Note	female
Pcs.	10
€/pcs.	€ 27,80



Vertical flue terminal

Dim.	h 154 mm
Cod.	6-10CX
Note	male
Pcs.	3
€/pcs.	€ 32,20



Pipe

Dim.	250 mm	500 mm	1000 mm	2000 mm	
Cod.	1-212X	1-512X	1-1012X	1-2012X	
Note	thk. 0,5 mm	thk. 0,5 mm	thk. 0,5 mm	thk. 0,5 mm	
Pcs.	4	4	4	4	
€/pcs.	€ 20,70	€ 25,30	€ 39,10	€ 73,10	



F/F sleeve

Dim.	200 mm
Cod.	1-1412X
Note	thk. 0,5 mm
Pcs.	4
€/pcs.	€ 26,10



M/F bend

Dim.	45°
Cod.	2-412XP
Note	bended from pipe - thk. 0,8 mm
Pcs.	5
€/pcs.	€ 36,00



M/F bend

Dim.	90°
Cod.	2-912X
Note	segment bend - thk. 0,5 mm
Pcs.	1
€/pcs.	€ 39,00



T element

Dim.	h 330 mm
Cod.	3-1212TX
Note	thk. 0,5 mm
Pcs.	4
€/pcs.	€ 49,70



T element

Dim.	h 330 mm - reduced Ø 80
Cod.	3-12TX
Note	thk. 0,5 mm
Pcs.	4
€/pcs.	€ 49,70



Condensation drain

Dim.	3/4"
Cod.	4-12SX
Note	vertical - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 32,50



Silicone seal

Dim.	20-120
Note	
Pcs.	10
€/pcs.	€ 2,30



Fastening ring

Dim.	9-12FX
Note	inox
Pcs.	10
€/pcs.	€ 6,10



Wall bracket

Dim.	5-12X
Note	inox
Pcs.	10
€/pcs.	€ 12,80



Vertical flue terminal

Dim.	h 152 mm
Cod.	10-12VX
Note	female
Pcs.	1
€/pcs.	€ 30,70



Vertical flue terminal

Dim.	h 152 mm
Cod.	6-12CX
Note	male
Pcs.	2
€/pcs.	€ 36,30



Pipe

Dim.	250 mm	500 mm	1000 mm	2000 mm	
Cod.	1-213X	1-513X	1-1013X	1-2013X	
Note	thk. 0,5 mm	thk. 0,5 mm	thk. 0,5 mm	thk. 0,5 mm	
Pcs.	4	4	4	4	
€/pcs.	€ 22,80	€ 27,60	€ 41,70	€ 76,80	



F/F sleeve

Dim.	200 mm
Cod.	1-1413X
Note	thk. 0,5 mm
Pcs.	4
€/pcs.	€ 26,30



M/F bend

Dim.	45°
Cod.	2-413X
Note	segment bend - thk. 0,5 mm
Pcs.	5
€/pcs.	€ 37,00



M/F bend

Dim.	90°
Cod.	2-913X
Note	segment bend - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 46,90



T element

Dim.	h 330 mm
Cod.	3-1313TX
Note	thk. 0,5 mm
Pcs.	4
€/pcs.	€ 50,90



T element

Dim.	h 330 mm - reduced Ø 80
Cod.	3-131TX
Note	thk. 0,5 mm
Pcs.	4
€/pcs.	€ 50,90



Condensation drain

Dim.	3/4"
Cod.	4-13SX
Note	vertical - thk. 0,5 mm
Pcs.	4
€/pcs.	€ 35,50



CLOSE OUT SALE

Increasing adapter

Dim.	Ø 130 F - Ø 100 M
Cod.	8-1310X
Note	thk. 0,5 mm
Pcs.	1
€/pcs.	€ 48,10



CLOSE OUT SALE

Increasing adapter

Dim.	Ø 130 F - Ø 120 M
Cod.	8-1312X
Note	thk. 0,5 mm
Pcs.	1
€/pcs.	€ 48,10



Silicone seal

Dim.	20-130
Cod.	
Note	
Pcs.	10
€/pcs.	€ 2,20



Fastening ring

Dim.	
Cod.	9-13FX
Note	AISI 304 stainless steel
Pcs.	10
€/pcs.	€ 6,10



Wall bracket

Dim.	
Cod.	5-13X
Note	inox
Pcs.	10
€/pcs.	€ 13,60



Vertical flue terminal

Dim.	h 152 mm
Cod.	10-13VX
Note	female
Pcs.	1
€/pcs.	€ 35,10



Vertical flue terminal

Dim.	h 247 mm
Cod.	6-13CX
Note	male
Pcs.	2
€/pcs.	€ 41,50

SINGLE WALL ALUMINIUM

Available diametres

Ø 60÷130

Documentation



DoP

get.atimariani.it/dop/DOP10.pdf



Instruction manual

get.atimariani.it/man/MANUT-FUM-002.pdf



Catalogue section

get.atimariani.it/engcat/ALU-SW.pdf

Applications



**Indoor
installation**



**Conventional
devices**



**Air
ventilation**



Silicone seal compliant to
UNI EN 14241-1

RAL 9003
white aluminium

SINGLE WALL ALUMINIUM

METALLIC


Product designation according to UNI EN 1856-1: 2009

Aluminium single wall.						
Temperature	Pressure	Condensate	Corrosion	Flue liner material specification	Sootfire	Min. distance to combustible material
T200 max 200 °C	P1 200 Pa	W Wet utilization	Vm Corrosion class	L11100 Aluminium 1.0 mm	0 No resistance (with seal)	60 60 mm
T200 max 200 °C	P1 200 Pa	W Wet utilization	V2 Corrosion class	L99150 Aluminium 1.5 mm	0 No resistance (with seal)	60 60 mm


Product designation according to UNI EN 1856-2: 2009

Aluminium single wall.						
Temperature	Pressure	Condensate	Corrosion	Flue liner material specification	Sootfire	Min. distance to combustible material
T200 max 200 °C	P1 200 Pa	W Wet utilization	Vm Corrosion class	L11100 Aluminium 1.0 mm	0 No resistance (with seal)	40M 40 mm
T200 max 200 °C	P1 200 Pa	W Wet utilization	V2 Corrosion class	L99150 Aluminium 1.5 mm	0 No resistance (with seal)	40M 40 mm



Pipe

Dim.	250 mm	500 mm	1000 mm	2000 mm	
Cod.	1-26AB	1-56AB	1-106AB	1-206AB	
Note	thk. 1 mm	thk. 1 mm	thk. 1 mm	thk. 1 mm	
Pcs.	9	9	9	6	
€/pcs.	€ 7,32	€ 9,58	€ 13,50	€ 26,00	



F/F sleeve

Dim.	150 mm
Cod.	1-146AB
Note	thk. 1 mm
Pcs.	6
€/pcs.	€ 10,10



M/F bend

Dim.	45°
Cod.	2-46PMF
Note	
Pcs.	12
€/pcs.	€ 14,40



M/F bend

Dim.	90°
Cod.	2-96PMF
Note	
Pcs.	12
€/pcs.	€ 14,60



F/F bend

Dim.	90°
Cod.	2-96PFF
Note	
Pcs.	12
€/pcs.	€ 16,30



Clamp with seal

Dim.	45 mm
Cod.	67-46
Note	
Pcs.	20
€/pcs.	€ 4,33



Clamp with seal

Dim.	75 mm
Cod.	67-76
Note	
Pcs.	20
€/pcs.	€ 5,98



Silicone seal

Dim.	
Cod.	20-60
Note	
Pcs.	10
€/pcs.	€ 1,14



Wall cover

Dim.	
Cod.	9-6
Note	metal
Pcs.	20
€/pcs.	€ 4,12



Wall cover

Dim.	
Cod.	9-66
Note	EPDM
Pcs.	20
€/pcs.	€ 3,92

**Wall bracket**

Dim.	
Cod.	14-60
Note	
Pcs.	10
€/pcs.	€ 5,26



Pipe

Dim.	250 mm	500 mm	1000 mm	2000 mm	
Cod.	1-28AB	1-58AB	1-108AB	1-208AB	
Note	thk. 1 mm	thk. 1 mm	thk. 1 mm	thk. 1 mm	
Pcs.	9	9	9	6	
€/pcs.	€ 9,12	€ 12,20	€ 16,30	€ 30,70	



F/F sleeve

Dim.	200 mm
Cod.	1-148ABB
Note	thk. 1 mm
Pcs.	6
€/pcs.	€ 10,50



M/F bend

Dim.	45°
Cod.	2-48PMF
Note	
Pcs.	12
€/pcs.	€ 11,50



M/F bend

Dim.	90°
Cod.	2-98SMF
Note	
Pcs.	12
€/pcs.	€ 11,80



CLOSE OUT SALE

M/F bend

Dim.	90°
Cod.	2-98PMF
Note	wide radius
Pcs.	12
€/pcs.	€ 18,20



CLOSE OUT SALE

F/F bend

Dim.	90°
Cod.	2-98SFF
Note	
Pcs.	12
€/pcs.	€ 14,50



T element

Dim.	
Cod.	13-80TAB
Note	
Pcs.	4
€/pcs.	€ 19,60



T element

Dim.	
Cod.	13-80SC
Note	with 1/2" condensation drain
Pcs.	2
€/pcs.	€ 20,90



Condensation drain

Dim.	1/2
Cod.	16-80AB
Note	vertical
Pcs.	10
€/pcs.	€ 10,20



Condensation drain

Dim.	3/8" plug
Cod.	16-540MF
Note	
Pcs.	6
€/pcs.	€ 22,50



Reducing adapter

Dim.	Ø 80 F - Ø 100 M
Cod.	8-810AB
Note	
Pcs.	10
€/pcs.	€ 11,80



Increasing adapter

Dim.	Ø 80 F - Ø 60 M
Cod.	8-86AB
Note	
Pcs.	10
€/pcs.	€ 12,30



Clamp with seal

Dim.	40 mm
Cod.	67-48
Note	
Pcs.	20
€/pcs.	€ 4,70



Clamp with seal

Dim.	75 mm
Cod.	67-78
Note	
Pcs.	20
€/pcs.	€ 6,70



Twin wall system

Dim.	Ø 80/80
Cod.	3-88A
Note	Biasi - Euroterm - Farel - Finterm - Hermann - Lamborghini - Radiant - Savio - Sime - Unical
Pcs.	1
€/pcs.	€ 27,60



CLOSE OUT SALE

Twin wall system

Dim.	Ø 80/80
Cod.	3-88E
Note	Ferroli
Pcs.	1
€/pcs.	€ 29,80



CLOSE OUT SALE

Twin wall system

Dim.	Ø 80/80
Cod.	3-88F
Note	Ferroli
Pcs.	1
€/pcs.	€ 6,00



CLOSE OUT SALE

Twin wall system

Dim.	Ø 80/80
Cod.	3-880
Note	Baxi
Pcs.	1
€/pcs.	€ 29,10



CLOSE OUT SALE

Adapter

Dim.	Ø 60-100 / Ø 80/80
Cod.	3-88B
Note	Baxi
Pcs.	1
€/pcs.	€ 38,10



CLOSE OUT SALE

Adapter

Dim.	Ø 60-100 / Ø 80/80
Cod.	3-88C
Note	Biasi - Euroterm - Finterm - Hermann - Unical
Pcs.	1
€/pcs.	€ 28,90



CLOSE OUT SALE

Adapter

Dim.	Ø 60-100 / Ø 80/80
Cod.	3-88L
Note	Lamborghini
Pcs.	1
€/pcs.	€ 31,60



CLOSE OUT SALE

Adapter

Dim.	Ø 60-100 / Ø 80/80
Cod.	3-88R
Note	Ecoflam - Rhoss
Pcs.	1
€/pcs.	€ 41,40



Silicone seal

Dim.	
Cod.	20-80
Note	
Pcs.	10
€/pcs.	€ 1,30



Wall cover

Dim.	
Cod.	9-8
Note	metal
Pcs.	20
€/pcs.	€ 4,20



Wall cover

Dim.	
Cod.	9-86
Note	EPDM
Pcs.	20
€/pcs.	€ 4,00



Wall bracket

Dim.	
Cod.	14-80
Note	
Pcs.	10
€/pcs.	€ 6,70



Pipe

Dim.	250 mm	500 mm	1000 mm	2000 mm	
Cod.	1-210AB	1-510AB	1-1010AB	1-2010AB	
Note	thk. 1 mm	thk. 1 mm	thk. 1 mm	thk. 1 mm	
Pcs.	9	9	9	4	
€/pcs.	€ 10,10	€ 14,90	€ 22,40	€ 40,20	



F/F sleeve

Dim.	200 mm
Cod.	1-1410AB
Note	thk. 1 mm
Pcs.	6
€/pcs.	€ 15,60



M/F bend

Dim.	45°
Cod.	2-410PMF
Note	
Pcs.	12
€/pcs.	€ 18,70



M/F bend

Dim.	90°
Cod.	2-910PMF
Note	
Pcs.	12
€/pcs.	€ 23,40



T element

Dim.	
Cod.	13-100XMF
Note	
Pcs.	2
€/pcs.	€ 45,20



Increasing adapter

Dim.	Ø 100 F - Ø 80 M
Cod.	8-108AB
Note	
Pcs.	10
€/pcs.	€ 13,50



Clamp with seal

Dim.	40 mm
Cod.	67-410
Note	
Pcs.	20
€/pcs.	€ 6,51



Clamp with seal

Dim.	75 mm
Cod.	67-710
Note	
Pcs.	20
€/pcs.	€ 8,93



Silicone seal

Dim.	
Cod.	20-100
Note	
Pcs.	10
€/pcs.	€ 1,68



Wall cover

Dim.	
Cod.	9-10
Note	metal
Pcs.	20
€/pcs.	€ 5,57



Wall cover

Dim.	
Cod.	9-106
Note	EPDM
Pcs.	20
€/pcs.	€ 5,36



Wall bracket

Dim.	
Cod.	14-100
Note	
Pcs.	10
€/pcs.	€ 7,98



Pipe

Dim.	250 mm	500 mm	1000 mm		
Cod.	1-213AB	1-513AB	1-1013AB		
Note	thk. 1 mm	thk. 1 mm	thk. 1 mm		
Pcs.	4	4	4		
€/pcs.	€ 13,60	€ 18,50	€ 29,10		



F/F sleeve

Dim.	200 mm
Cod.	1-1413AB
Note	thk. 1 mm
Pcs.	6
€/pcs.	€ 17,60



M/F bend

Dim.	45°
Cod.	2-413PMF
Note	segmented bend
Pcs.	6
€/pcs.	€ 29,80



M/F bend

Dim.	90°
Cod.	2-913PMF
Note	segmented bend
Pcs.	6
€/pcs.	€ 42,00



Silicone seal

Dim.	
Cod.	20-130
Note	
Pcs.	10
€/pcs.	€ 2,20



Wall cover

Dim.	
Cod.	9-13
Note	metal
Pcs.	20
€/pcs.	€ 6,00



Wall bracket

Dim.	
Cod.	14-130
Note	
Pcs.	10
€/pcs.	€ 10,00



Flue sampling

Dim.	3/8" - plug 1/4
Cod.	67-38P
Note	
Pcs.	10
€/pcs.	€ 4,20



Flue sampling


Dim.	Ø 12
Cod.	67-10P
Note	
Pcs.	20
€/pcs.	€ 2,90

CONCENTRIC ALUMINIUM/ALUMINIUM

Available diametres

Ø 60/100

Documentation



DoP

get.atimariani.it/dop/DOP15.pdf



Instruction manual

get.atimariani.it/man/MANUT-FUM-009.pdf



Catalogue section

get.atimariani.it/engcat/ALU-ALU-CO.pdf



Silicone seal compliant to
UNI EN 14241-1

Aluminium

RAL 9003
White aluminium

Applications



Indoor
installation



Conventional
devices



Product designation according to UNI EN 14989-2: 2007

Aluminium concentric system.

Temperature	Pressure	Condensate	Corrosion	Flue liner material specification	Sootfire	Min. distance to combustible material
T200 max 200 °C	P1 200 Pa	W Wet utilization	Vm Corrosion class	L11100 Aluminium 1.0 mm	0 No resistance (with seal)	30 30 mm
T200 max 200 °C	P1 200 Pa	W Wet utilization	V2 Corrosion class	L99150 Aluminium 1.5 mm	0 No resistance (with seal)	30 30 mm



Extension

Dim.	500 mm	1000 mm	2000 mm		
Cod.	KKPC050	KKPC100	KKPC200		
Note					
Pcs.	1	1	1		
€/pcs.	€ 22,00	€ 30,50	€ 54,10		



Roof terminal

Dim.	h 1300 mm
Cod.	45-610M
Note	5° - 30° pitched roof
Pcs.	1
€/pcs.	€ 101,00




Brown tile

Dim.	500 x 500 mm
Cod.	5-TA
Note	5° - 30° pitched roof
Pcs.	1
€/pcs.	€ 34,50



Horizontal flue terminal

Dim.	1000 mm
Cod.	KXCC100
Note	with stainless steel terminal
Pcs.	1
€/pcs.	€ 44,90



Horizontal flue terminal

Dim.	850 mm
Cod.	KKTAA610
Note	
Pcs.	1
€/pcs.	€ 39,10



M/F bend

Dim.	45°
Cod.	2-4610PMF
Note	
Pcs.	1
€/pcs.	€ 24,00



M/F bend

Dim.	90°
Cod.	2-9610PMF
Note	
Pcs.	1
€/pcs.	€ 25,60



Wall bracket

Dim.	14-100
Cod.	
Note	
Pcs.	10
€/pcs.	€ 7,98



Wall cover

Dim.	9-10
Cod.	
Note	metal
Pcs.	20
€/pcs.	€ 5,57



Wall cover

Dim.	9-106
Cod.	
Note	EPDM
Pcs.	20
€/pcs.	€ 5,36

DOUBLE WALL S. STEEL/ALUMINIUM

Available diametres

Ø 80/100

Documentation



DoP

get.atimariani.it/dop/DOP13.pdf



Instruction manual

get.atimariani.it/man/MANUT-FUM-004.pdf



Catalogue section

get.atimariani.it/engcat/INOX-ALU-DW.pdf



Applications



**Outdoor
installation**



**Condensing
devices**



**Conventional
devices**



**Pellet burning
stoves**



Product designation according to UNI EN 1856-1: 2009

Double wall.

Temperature	Pressure	Condensate	Corrosion	Flue liner material specification	Sootfire	Min. distance to combustible material
T200 max 200 °C	P1 200 Pa	W Wet utilization	V2 Corrosion class	L50050 Stainless steel 316 L 0.5 mm	O No resistance (with seal)	50 50 mm
T250 max 250 °C	N1 40 Pa	D Dry utilization	V2 Corrosion class	L50050 Stainless steel 316 L 0.5 mm	G Resistant (without seal)	150 150 mm



Insulated pipe

Dim.	250 mm	500 mm	1000 mm	2000 mm	
Cod.	M6-80XAB	M6-850XAB	M6-810XAB	M6-820XAB	
Note	glass wool 6 mm	glass wool 6 mm	glass wool 6 mm	glass wool 6 mm	
Pcs.	1	1	1	1	
€/pcs.	€ 31,80	€ 44,70	€ 70,10	€ 131,00	



Vertical flue terminal

Dim.	h 150 mm
Cod.	M45-100XAB
Note	
Pcs.	1
€/pcs.	€ 42,20



Upper support

Dim.	
Cod.	5-100M
Note	
Pcs.	1
€/pcs.	€ 17,80



Brown tile

Dim.	500 x 500 mm
Cod.	5-TA
Note	5° - 30° pitched roof
Pcs.	1
€/pcs.	€ 34,50



Adjustable pipe

Dim.	Ø 100 - 500 / 850 mm
Cod.	WM6-10T
Note	Ø 80 internal not included
Pcs.	1
€/pcs.	€ 34,00



Insulated bend

Dim.	45°
Cod.	M7-410XAB
Note	6 mm glass wool insulation
Pcs.	1
€/pcs.	€ 61,70



Insulated T Element

Dim.	h 236 mm
Cod.	M13-810XAB
Note	6 mm glass wool insulation
Pcs.	1
€/pcs.	€ 96,50



Condensation drain with ring

Dim.	Ø 80 - 3/4"
Cod.	M16-80SC
Note	vertical
Pcs.	1
€/pcs.	€ 35,50



Wall support

Dim.	140 x 180 x 200 mm
Cod.	M15-810XAB
Note	
Pcs.	1
€/pcs.	€ 84,70



Transition double wall system

Dim.	Ø 80/100 - Ø 80
Cod.	WM6-80AD
Note	
Pcs.	1
€/pcs.	€ 22,70

**Wall bracket**

Dim.	
Cod.	M14-100
Note	
Pcs.	10
€/pcs.	€ 8,76

**Fastening ring**


Dim.	
Cod.	M9-10F
Note	
Pcs.	10
€/pcs.	€ 6,70

DOUBLE WALL STAINLESS STEEL/COPPER

Available diametres

Ø 80/100 - Ø 100/130

Documentation



DoP T200

get.atimariani.it/dop/DOP11.pdf



DoP T250

get.atimariani.it/dop/DOP12.pdf



Instruction manual

get.atimariani.it/man/MANUT-FUM-006.pdf



Catalogue section

get.atimariani.it/engcat/INOX-CO-DW.pdf



Silicone seal compliant to
UNI EN 14241-1

Stainless steel
AISI 316/L BA

Copper

Insulation
Ø 80/100 glass wool
Ø 100/130 rockwool

Applications



**Outdoor
installation**



**Condensing
devices**



**Conventional
devices**



**Pellet burning
stoves**



Product designation according to UNI EN 1856-1: 2009

Double wall.						
Temperature	Pressure	Condensate	Corrosion	Flue liner material specification	Sootfire	Min. distance to combustible material
T200 max 200 °C	P1 200 Pa	W Wet utilization	V2 Corrosion class	L50050 Stainless steel 316 L 0.5 mm	O No resistance (with seal)	50 50 mm
T250 max 250 °C	N1 40 Pa	D Dry utilization	V2 Corrosion class	L50050 Stainless steel 316 L 0.5 mm	G Resistant (without seal)	150 150 mm



Insulated pipe

Dim.	250 mm	500 mm	1000 mm	2000 mm	
Cod.	6-80RB	6-850RB	6-810RB	6-820RB	
Note	glass wool 6 mm	glass wool 6 mm	glass wool 6 mm	glass wool 6 mm	
Pcs.	1	1	1	1	
€/pcs.	€ 45,30	€ 63,40	€ 97,70	€ 182,00	



Vertical flue terminal

Dim.	h 144 mm
Cod.	45-100RB
Note	
Pcs.	1
€/pcs.	€ 51,70



Upper support

Dim.	
Cod.	5-100M
Note	
Pcs.	1
€/pcs.	€ 17,80



Brown tile

Dim.	500 x 500 mm
Cod.	5-TA
Note	5° - 30° pitched roof
Pcs.	1
€/pcs.	€ 34,50



Adjustable pipe

Dim.	Ø 100 - 500 / 850 mm
Cod.	WR6-10T
Note	Ø 80 internal not included
Pcs.	1
€/pcs.	€ 38,20



Insulated bend

Dim.	45°
Cod.	7-410RB
Note	6 mm glass wool insulation
Pcs.	1
€/pcs.	€ 83,90



Insulated T Element

Dim.	h 236 mm
Cod.	13-810RB
Note	6 mm glass wool insulation
Pcs.	1
€/pcs.	€ 155,00



Condensation drain with ring

Dim.	Ø 80 - 3/4"
Cod.	16-810RB
Note	vertical
Pcs.	1
€/pcs.	€ 47,30



Wall support

Dim.	140 x 180 x 200 mm
Cod.	15-810RB
Note	
Pcs.	1
€/pcs.	€ 104,00



Transition double wall system

Dim.	Ø 80/100 - Ø 80
Cod.	WR6-80AD
Note	
Pcs.	1
€/pcs.	€ 28,90



Wall bracket

Dim.	
Cod.	14-100R
Note	
Pcs.	10
€/pcs.	€ 10,00



Fastening ring

Dim.	
Cod.	9-10FR
Note	
Pcs.	10
€/pcs.	€ 9,35



Insulated pipe

Dim.	250 mm	500 mm	1000 mm	2000 mm	
Cod.	6-103RB	6-1053RB	6-1013RB	6-1023RB	
Note	rock wool 14 mm	rock wool 14 mm	rock wool 14 mm	rock wool 14 mm	
Pcs.	1	1	1	1	
€/pcs.	€ 61,50	€ 80,60	€ 124,00	€ 241,00	



Vertical flue terminal

Dim.	h 220 mm
Cod.	45-1013RB
Note	
Pcs.	1
€/pcs.	€ 61,70



Upper support

Dim.	
Cod.	5-130R
Note	
Pcs.	1
€/pcs.	€ 24,70



Brown tile

Dim.	500 x 500 mm
Cod.	5-TA
Note	5° - 30° pitched roof
Pcs.	1
€/pcs.	€ 34,50



Insulated bend

Dim.	45°
Cod.	7-1013RB
Note	14 mm rock wool insulation
Pcs.	1
€/pcs.	€ 107,00



Insulated T Element

Dim.	h 265 mm
Cod.	13-1030RB
Note	14 mm rock wool insulation
Pcs.	1
€/pcs.	€ 191,00



Insulated T Element

Dim.	h 265 mm - reduced Ø 80
Cod.	13-1038RB
Note	14 mm rock wool insulation
Pcs.	1
€/pcs.	€ 183,00



Condensation drain with ring

Dim.	Ø 100 - 3/4"
Cod.	16-1013RB
Note	vertical
Pcs.	1
€/pcs.	€ 54,70



Wall support

Dim.	140 x 180 x 200 mm
Cod.	15-1013RB
Note	
Pcs.	1
€/pcs.	€ 96,90



Wall bracket

Dim.	
Cod.	14-130R
Note	
Pcs.	10
€/pcs.	€ 10,80



Fastening ring

Dim.	
Cod.	9-13FR
Note	
Pcs.	10
€/pcs.	€ 9,17